

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|---|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 18-04-2025 13:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 18-04-2025 13:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 180 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Assam |
| Department Name/विभाग का नाम | Industries And Commerce Department Assam |
| Organisation Name/संगठन का नाम | Department Of Industries & Commerce |
| Office Name/कार्यालय का नाम | Duliajan Dibrugarh |
| क्रेता ईमेल/Buyer Email | buycon1.dic.as@gembuyer.in |
| Total Quantity/कुल मात्रा | 370 |
| Item Category/मद केटगरी | Stainless Steel ANSI B16.5 Flange (Q3) , Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service (Q3) |
| Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) | 16 Lakh (s) |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 3 Year (s) |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट | No |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट | No |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Bidder Turnover,OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |

| Bid Details/बिड विवरण | |
|--|-----------------------------------|
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | Yes |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | No |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | Stainless Steel ANSI B16.5 Flange |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-----------------------------|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| EMD Amount/ईएमडी राशि | 62080 |

ePBG Detail/ईपीबीजी विवरण

| | |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%) | 5.00 |
| Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने). | 15 |

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

MANAGING DIRECTOR
Assam Gas Company Limited. Duliajan-786602
(Assam Gas Company Limited)

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | No |
|---|----|

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--|----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | No |
|--|----|

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

SOR MS PIPE FITTINGS - [1743671513.xlsx](#)

Stainless Steel ANSI B16.5 Flange (100 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| Material | Class | 300 |
| Generic | Type | Weld Neck |
| | Number of Holes | 4, 8, 12, 16, 20 Or higher |
| | Production technique | Forged |
| | Flange Facing | Raised Face With Serrations |
| Dimensions | Flange Dimensions Conformity to | ANSI B 16.5 |
| | Flange Size | 1/2 inch, 3/4 inch, 1 inch, 1-1/4 inch, 1-1/2 inch, 2 inch, 2-1/2 inch, 3 inch, 3-1/2 inch, 4 inch, 5 inch, 6 inch, 8 inch, 10 inch, 12 inch, 14 inch, 16 inch, 18 inch, 20 inch, 22 inch, 24 inch |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------------|---|--|
| Packaging | Packaging Type | Box |
| Test Report Details | Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification | Yes |
| | Test Report to be submitted to the Buyer on Demand | Yes |

Additional Specification Parameters - Stainless Steel ANSI B16.5 Flange (100 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|---|
| FLANGE WN 150 MM (300 CLASS) | FLANGE WN 150 MM (300 CLASS) Forged CS W.N. Flange, Size 150 mm, Pressure rating 300 class, as per ANSI B-16.5 Standard, in full machined and drilled condition with raised face and concentric serrated face, materials as per ASTM A-181 Gd.1 |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Ibadur Rahman | 786602, Assam Gas Company Ltd. Duliajan | 100 | 90 |

Stainless Steel ANSI B16.5 Flange (200 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| Material | Class | 300 |
| | Material | Austenitic Stainless Steel |
| Generic | Type | Weld Neck |
| | Number of Holes | 4, 8, 12, 16, 20 Or higher |
| | Production technique | Forged |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| | Flange Facing | Raised Face With Serrations |
| Dimensions | Flange Dimensions Conformity to | ANSI B 16.5 |
| | Flange Size | 1/2 inch, 3/4 inch, 1 inch, 1-1/4 inch, 1-1/2 inch, 2 inch, 2-1/2 inch, 3 inch, 3-1/2 inch, 4 inch, 5 inch, 6 inch, 8 inch, 10 inch, 12 inch, 14 inch, 16 inch, 18 inch, 20 inch, 22 inch, 24 inch |

Additional Specification Parameters - Stainless Steel ANSI B16.5 Flange (200 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|---|
| FLANGE WN 200 MM (300 CLASS) | FLANGE WN 200 MM (300 CLASS) Forged CS W.N. Flange, Size 200 mm, Pressure rating 300 class, as per ANSI B-16.5 Standard, in full machined and drilled condition with raised face and concentric serrated face, materials as per ASTM A-181 Gd.1 |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Ibadur Rahman | 786602, Assam Gas Company Ltd. Duliajan | 200 | 90 |

Wrought Carbon Steel And Alloy Steel Pipe Fitting For Moderate And High Temperature Service (70 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| ITEM | Discription Of Products | Wrought Carbon Steel and Wrought Alloy Steel Pipe Fitting |
| | Type of pipe fitting | REDUCER-CONCENTRIC |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-------------------------------|---|---|
| MATERIAL | Material Specification | As Per ASTM A234 |
| | Material | Carbon Steel, Alloy Steel |
| | Material Grade | Gr.WPB(Seamless), Gr.WPB-W(Welded), Gr.WP5 Cl.1(Seamless), Gr.WP5 Cl.3(Seamless), Gr.WP5 Cl.1-W(Welded), Gr.WP5 Cl.3-W(Welded), Gr.WP9 Cl.1(Seamless), Gr.WP9 Cl.1-W(Welded), Gr.WP9 Cl.3(Seamless), Gr.WP9 Cl.3-W(Welded), Gr.WP11 Cl.1(Seamless), Gr.WP11 Cl.2(Seamless), Gr.WP11 Cl.3(Seamless), Gr.WP11 Cl.1-W(Welded), Gr.WP11 Cl.2-W(Welded), Gr.WP11 Cl.3-W(Welded), Gr.WP22 Cl.1(Seamless), Gr.WP22 Cl.3(Seamless), Gr.WP22 Cl.1-W(Welded), Gr.WP22 Cl.3-W(Welded), Gr.WP91(Seamless), Gr.WP91-W(Welded), Gr.WP22 (Seamless) |
| DESIGN & DIMENSION | End Finish Specification | ASME B 16.25 |
| | End Finish | Butt Weld, Socket Weld |
| | Dimension Standard Conform to | ASME B16.9 |
| | Outside diameter and wall thickness conforming to | ASME B36.10 |
| | Compliance to requirement for special categories | IBR, HYDROGEN, NACE, HIC, NACE + HIC, Hydrogen + IBR, NA |
| | Diameter Size- 1 (in inch) | 0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 2.5, 3.5, 5, 42, 44, 46, 48 |
| | "Diameter Size- 2 (in inch) (Hint:- For Reducing Fitting,select NA for non-reducing fittings)" | 0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, NA, 2.5, 3.5, 5, 42, 46, 48, 44 |
| | Wall Thickness(in mm)/Identification/ Schedule No - Size-1 | STD, XS, XXS, SCH 10, SCH 20, SCH 30, SCH 40, SCH 60, SCH 80, SCH 100, SCH 120, SCH 140, SCH 160 |
| | "Wall Thickness(in mm)/Identification/ Schedule No - Size-2 (Hint:- For Reducing Fitting,select NA for non-reducing fittings)" | STD, XS, XXS, SCH 10, SCH 20, SCH 30, SCH 40, SCH 60, SCH 80, SCH 100, SCH 120, SCH 140, SCH 160, NA, 150#, 3000# |
| PAST PERFORMANCE | Are you past supplier of these item to PSU | Yes |
| | If Yes,Please select the PSUs to whom you supplied in last 3 year | IOCL, BPCL, HPCL, MRPL, ONGC, Oil India Ltd., GAIL, EIL, IFFCO, NFL, KRIBHCO |
| THIRD PARTY INSPECTION AGENCY | Agreed to Third party Inspection for order against bid only at seller's cost | Yes, No |

Additional Specification Parameters - Wrought Carbon Steel And Alloy Steel Pipe Fitting For Moderate And High Temperature Service (70 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|----------------------------------|--|
| CONCENTRIC REDUCER MS 150X75 MM | CONCENTRIC REDUCER MS 150X75 MM ; CS Concentric Reducer, Size 150 mm N.B. x 75 mm N.B., C.S. Forged, B.W., Wall Thickness 6.4mm,300 class pressure rating, Material as per ASTM A-234 GR.WPB(CHARPY)standard, and Dimensions as per ASME B-16.9 Standard. |
| CONCENTRIC REDUCER MS 150X100MM | CONCENTRIC REDUCER MS 150X100MM; CS Concentric Reducer, Size 150 mm N.B. x 100 mm N.B., C.S. Forged, B.W., Wall Thickness 6.4mm,300 class pressure rating, Material as per ASTM A-234 GR.WPB(CHARPY)standard, and Dimensions as per ASME B-16.9 Standard. |
| CONCENTRIC REDUCER MS 200X100 MM | CONCENTRIC REDUCER MS 200X100 MM; CS Concentric Reducer, Size 200 mm N.B. x 100 mm N.B., C.S. Forged, B.W., Wall Thickness 6.4mm,300 class pressure rating, Material as per ASTM A-234 GR.WPB(CHARPY)standard, and Dimensions as per ASME B-16.9 Standard. |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

| | |
|-----------------------------------|----------------------|
| Applicable Specification Document | View |
|-----------------------------------|----------------------|

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Ibadur Rahman | 786602, Assam Gas Company Ltd. Duliajan | 70 | 90 |

Buyer added Bid Specific Additional Scope of Work

| S.No.क्र.सं. | Document Title | Description | Applicable/रिवर्स प्रभार के अनुसार जोएसटी i.r.o. Items |
|--------------|---|---------------------------------------|---|
| 1 | TENDER FOR SUPPLY OF MS PIPE FITTINGS View | TENDER FOR SUPPLY OF MS PIPE FITTINGS | Wrought Carbon Steel And Alloy Steel Pipe Fitting For Moderate And High Temperature Service(70) |

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 10 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

3. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Contracts & Procurement Department
Assam Gas Company Limited
Duliajan
PIN-786602
Assam
.

4. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

6. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

7. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Please Note That:

1. The bidder should quote for the products as per the specification mentioned in the uploaded BOQ and bid document.
2. Third Party Inspection shall be carried out by anyone of the following empanelled Third Party Inspection Agencies (TPIA): DNV/MECONS/PDIL/EIL/H&G/LLOYDS/TCE. The Third Party Inspection shall be carried out strictly in line with the approved Quality Assurance Plan as certified by AGCL's Engineer-in-Charge.
3. The bidder shall have experience of successful execution of past supply for each tender item having same or higher size in last 5 years preceding the original bid closing date of the tender, to upstream, midstream and downstream Oil & Gas Industry or Service Provider to an E&P company, either by themselves or through their Dealer / Distributor / Agent for their own (OEM) products.
4. The minimum average annual turnover achieved by the bidder as per their audited financial results in any one of the 3 (three) immediate preceding financial year shall be Rs. 31,00,000/-
5. Net worth of the bidder must be Positive for the preceding financial/accounting year.
6. Sealed and signed copy of tender is required to submit if the bidder agrees with the mentioned specifications.
7. Sealed and signed copy of BOQ is required to upload in support of the financial document and not with the technical documents. Otherwise, the bid will be liable for rejection.
8. For any query, contact to: agcmat@agclgas.com

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.

13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---